

ALL NEW CEILING FAN DEVELOPED AND DESIGNED IN SINGAPORE

VERSION/SPECIFICATION

F63

CEILING FAN



PZERO SERIES

BY POINT ONE
TECHNOLOGY

 Google Assistant

 amazon alexa

Edition 4.1

MAXIMUM EFFICIENCY

MOTOR SHAFT

Rotating component that transmits mechanical power and conduct as the sole frame

MOTOR HOUSING

Air-tight component that protects the motor from external properties

P. MAGNET

Provides a magnetic force that surrounds the entire motor

COPPER WIRE

Convert kinetic energy to electrical energy



MOTOR CLASS:
EC-CLASS

INPUT:
110-240V

HOUSING MATERIAL:
ALUMINUM

MAGNET TYPE:
PERMANENT

POWER:
5-50W

COIL MATERIAL:
COPPER

CONTROL UNIT:
DRIVER

MOTOR PLATFORM:
NEODRIVE-LITE

CONVERTER:
BRUSHLESS

MAXIMUM EFFICIENCY

PHOSPHOR

Key component for even illumination which is applied over the surface of the LED

LED CHIP

Hidden beneath the phosphor, it is used to transmit electrical energy to light energy

CERAMIC HOUSING

Host the component of an LED chip and insulate from excess electrical power

TERMINAL CONNECTOR

Enable the flow of electrical power through cathode and anode

LUMINAIRE:
LED CHIP

DIMMABILITY:
2-100%

HOUSING MATERIAL:
CERAMIC

CHIP TYPE:
SURFACE MOUNTED DIODE

POWER:
2-25W

CHIP COUNT:
42

COLOR TEMPERATURE:
3000-5700K

BRIGHTNESS:
185-2400Lm

LONGEVITY:
25,000Hr

PZERO SERIES

MAX EFFICIENCY

VERSION/SPECIFICATION
F63
CEILING FAN

BY
POINT ONE
TECHNOLOGY




POLAR WHITE

SGD \$199.00

[Price includes WIFI module]

LIGHT KIT +\$30.00

WIND STRENGTH
QUIETNESS



The ratings for wind strength and quietness are based on PZERO specifications and should not be used in comparison with VSPEC-II/III/IV

PZERO SERIES

MAX EFFICIENCY

VERSION/SPECIFICATION
F63
CEILING FAN

BY
POINT ONE
TECHNOLOGY



CARBON BLACK

WIND STRENGTH
QUIETNESS



The ratings for wind strength and quietness are based on PZERO specifications and should not be used in comparison with VSPEC-II/III/IV

PZERO SERIES

SGD \$199.00
[Price includes WIFI module]
LIGHT KIT +\$30.00

MAXIMUM EFFICIENCY

DIMENSION SPECIFICATIONS:




TECHNICAL SPECIFICATIONS:

F63	PZERO	42"
SPEED 1	152 RPM / 8.5 Watt	
SPEED 2	172 RPM / 12.0 Watt	
SPEED 3	192 RPM / 15.4 Watt	
SPEED 4	219 RPM / 22.5 Watt	
SPEED 5	245 RPM / 30.6 Watt	
SPEED 6	268 RPM / 41.2 Watt	

WEIGHT 5.1kg

F63	PZERO	52"
SPEED 1	98 RPM / 7.1 Watt	
SPEED 2	118 RPM / 11.2 Watt	
SPEED 3	138 RPM / 17.1 Watt	
SPEED 4	155 RPM / 25.5 Watt	
SPEED 5	173 RPM / 34.7 Watt	
SPEED 6	196 RPM / 49.1 Watt	

WEIGHT 5.5kg



PZERO SERIES

WARRANTY & INSTALLATION



BASIC MOTOR WARRANTY COVERAGE;
NON-INCLUSIVE OF WEAR & TEAR



INCLUDING STRUCTURAL INTEGRITY
OF THE EXTERNAL CASING



INCLUDING BUT NOT LIMITED TO
REMOTE CONTROL & DRIVER



INCLUDING LABOR & TRANSPORT
(ONLY APPL. FOR AGENT INSTALLATION)

AGENT INSTALLATION

CONCRETE CEILING (BELOW 3.0m) :	\$ 50.00
CONCRETE CEILING (BETWEEN 3.0m TO 3.5m) :	\$ 80.00
CONCRETE CEILING (ABOVE 3.5m) :	\$ P.O.A
FALSE CEILING (BELOW 3.0m) :	\$ 150.00
FALSE CEILING (BETWEEN 3.0m TO 3.5m) :	\$ 180.00
FALSE CEILING (ABOVE 3.5m):	\$ P.O.A

PZERO SERIES

BY POINT ONE
TECHNOLOGY